
DHC-23S

Deli Hold Cabinet - 2x3 Hot Holding Trays





Del<mark>İ</mark>Hold

ITEM No.

Model options: DHC-23S Deli Hold Cabinet (2x3)

Standard equipment: 6x 1/3GN polycarbonate trays 12 months parts and labour warranty

Optional extras: Additional 1/3GN polycarbonate trays

Features:

The Deli Hold Cabinet allows you to hot hold multiple menu items at the same time. Each tray can be programmed with their own specific holding temperatures and time duration to maximise shelf-life whilst maintaining quality and high levels of food hygiene.

Deli Hold is ideal for hot holding cooked proteins like burgers, bacon, chicken wings and hot dogs, fried items like chicken nuggets and wedges, and side dishes like mashed potatoes, cooked rice and roasted vegetables.

Deli Hold is the perfect hot hold cabinet for busy restaurants, pubs, cafés, QSR or fast food outlets and take aways.

- •Individual timers each tray has it's own individual timer ensuring that each item is only held for the maximum predetermined time to ensure compliance with food safety guidelines.
- •Adjustable holding temperatures each tray can have specific temperatures set top and bottom to preserve the product at its best.
- •**Dry and moist heat** the upper level holds foods in a dry heat environment, ideal for fried menu items. The lower level holds foods in a moist environment, ideal for proteins and vegetables.
- •Thermally insulated advanced insulation prevents heat loss, reducing power consumption whilst preventing excessive external surface temperatures.

•Easy to clean - the removable trays catch all of the food debris which are easily removed from the unit and can be cleaned using either soapy water or put through the dishwasher. Internal and external surfaces can be wiped clean.

•Construction - the main structure of the DHC is manufactured from AISI 304 stainless steel. Dual overheat system prevents overloading to avoid damage. The single side design means the unit can be positioned next to other equipment or a wall.



Taylor UK (a division of HTG Trading Ltd) 106 Claydon Business Park, Gt. Blakenham, Ipswich, Suffolk, IP6 ONL, United Kingdom 0800 838 896 - sales@taylor-company.co.uk www.taylor-company.co.uk

Due to continual research and development, these specifications are subject to change without notification - Sept 2022

DHC-23S

Del**İ**Hold

Deli Hold Cabinet - 2x3 Hot Holding Tra		ays ITEM No
Section view:		
FRONT VIEW		463 400 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DHC-23S	SINGLE PHASE	
External dimensions (WxDxH) Unit Only	730 x 400 x 300 mm	
External dimensions (WxDxH) with TRAYS	730 x 463 x 300 mm	
Capacity	6 x 1/3GN TRAYS	1/3GN Trays
No. Sections	6 (3x dry, 3x moist)	428
Tray type/size (inc handle)	1/3GN - 175 x 428 x 65 mm	
Weight	38 Kg	
Operating temperature range	Up to 95°C	
Timer duration	Up to 60 minutes	4
Nominal power	1,800 W	4
Voltage	230v / 50Hz / 1Ph	4
Total amp draw	8.0 amps	4
Circuit breaker/fuse	13 amp	4
Power socket	13 amp (1P+N+E)	 A dedicated power supply is required for safe operation. Equipment should never be operated on any form of extension lead, please consult a qualified electrician for correct installation advice.
Topic for the second		